

# Navigation

## Quick Start with DBSync Replication

This quickstart shows you how to get started by creating a profile under source applications and how to replicate the data with the help of DBSync from source applications to different databases.

## Log in to the DBSync replication portal

Sign in to the [DBSync Replication portal](#).

## Fill the configuration details in global settings

Start DBSync Replication console to configure the proxy settings under the global settings option on the home page.

Follow these steps to configure a proxy global settings in DBSync replication portal.

1. Once, you have logged in then click to **"main menu"** in the **right hand top corner on the home page** of DBSync replication portal.
2. Next, enter the **required proxy credentials** in different text boxes like **proxy host, port, username and password** under the global settings section.
3. **Click on save changes button** to **save a global settings details**.

The screenshot displays the DBSync Cloud Replication & CDM interface. On the left is a dark sidebar with 'My Account' (dropdown), 'Home', and 'Settings' (active). The top header shows the application name and links for 'Wiki', 'Log out', and a menu icon. The main section is titled 'Global Settings' with a breadcrumb 'Home / Global Settings'. Below this, the 'Global Settings' form contains four labeled input fields: 'Proxy Host', 'Proxy Port', 'Proxy UserName', and 'Proxy Password'. At the bottom right of the form are 'Cancel' and 'Save changes' buttons.

## Create a source application profile


Source application profile Includes Salesforce and Microsoft CRM. The source app profile is created within DBSync Replication platform.

Follow these steps to create a profile under source application like Salesforce and Microsoft CRM.

1. Click to **"add profile"** in the right hand-corner of the profiles section of DBSync replication portal.
2. Select, the required **source name application** from the **drop down menu** under the **product header**.
3. Next, **enter the name of the profile** like **"testprofile"** under the name section.
4. **Click on save changes button** to **create a new replication profile**.

Add Profile

Product

 — Salesforce

Name


testprofile

Close

Save changes

Add Profile

Product

 — MSCRM

Name

testprofile

Close

Save changes

## Source application setup details

Start with source application setup details includes Salesforce and Microsoft CRM.

The source setup applications details required to configure your **Salesforce and Microsoft CRM** credentials like **"username"** and **"password"**.

Follow these steps to configure your source application like Salesforce and Microsoft CRM.

1. Click to **"Salesforce and Microsoft CRM" setup tab** on the left hand corner in the profiles section of DBSync Replication portal.
2. Don't change the **"environment and soap end details"**, all these details are pre-filled.
3. Next, enter the **"username" and "password" credential for Salesforce and Microsoft CRM**.

My Account

Home

Profile

Salesforce Setup

Database Setup

Advanced Settings

Objects

Export

Schedule Jobs

Logs

DBSync Cloud Replication & CDM

Wiki Log out

Salesforce Details

Environment

Production/Development

Soap Endpoint

https://login.salesforce.com/services/Soap/u/42.0

User Name

User Name

OR

Connect to Salesforce (OAuth)

Password

Password

Use Bulk API

☐

Test connection

Save

Next

My Account

Home

Profile

MSCRM Setup

Database Setup

Advanced Settings

Objects

Export

Schedule Jobs

Logs

DBSync Cloud Replication & CDM

Wiki Log out

MSCRM Details

Soap Endpoint

Soap Endpoint

User Name

User Name

Password


Password

Test connection


Save

Next


4. **"OR", "Other option for salesforce"** click on connect to **Salesforce (OAUTH)** to enter Salesforce login credentials like **"username" and "password"** to connect the salesforce application.



5. Click on **test connection button** to validate your source application login details.



6. Click on **save button** to save your source apps login details.



7. Once completed, click on **next button** to proceed to database setup tab.

## Configure database setup details

Start with **database setup tab**, to fill all the necessary details and follow the same procedure for testing and validating your database credentials.

Follow these steps to configure your database credentials with different databases like **MySQL, SQL Server, Oracle, DB2, PostgreSQL, Cassandra, Redshift, Sybase and MongoDB**.

1. Click to **"database" setup tab** on the left hand corner in the profiles section of DBSync replication portal.
2. Select, the required **"type name"** from the **drop down menu** options like **"MySQL, SQL Server, Oracle, DB2, PostgreSQL, Cassandra, Redshift, Sybase and MongoDB"** under the **"database setup" section**.

The screenshot shows the 'Database Details' form in the DBSync Cloud Replication & CDM portal. On the left is a dark sidebar with navigation links: 'My Account', 'Home', 'Profile', 'Salesforce Setup', 'Database Setup' (highlighted), 'Advanced Settings', 'Objects', 'Export', 'Schedule Jobs', and 'Logs'. The main content area has a header 'DBSync Cloud Replication & CDM' with links for 'Wiki', 'Log out', and a menu icon. Below the header is the 'Database Details' section. It contains a 'Type' dropdown menu with 'SQLServer' selected and a list of other options: Oracle, DB2, MySQL, PostgreSQL, Cassandra, Redshift, Sybase, and Mongo. To the right of the dropdown are input fields for 'Host', 'Port', 'User Name', 'Password', 'Database', and 'Schema' (which contains 'dbo'). Below these is a 'URL' field with the value 'jdbc:sqlserver://:::database=' and an 'Enable SSL' checkbox. At the bottom of the form is a section for 'Advanced Settings for File Download' and three buttons: 'Test Connection', 'Save', and 'Next'.

*(Note: The database URL can also be entered manually if you know your database Connection string.)*

3. **To start with database credentials user has to entered all the configuration details like host, port, username, password, database name and schema.**
4. **Once, all the details enter by the user then URL details will get autofilled.**
5. **Click on *test Connection button* to validate your source application login details.**
6. **Click on *save button* to save your source apps login details.**
7. **Once completed, click on *next button* to proceed to advanced settings tab to get the email Id to get the notifications.**

## Advanced settings tab details

Start with **advanced settings tab**, to fill all the necessary details and follow the same procedure for testing and validating Advanced settings credentials.

Follow these steps to configure your Advanced settings credentials.

1. Click to **"advanced" settings tab** on the left hand corner in the Profiles section of DBSync replication portal.
2. Mark the checkbox to **"enable database logging"** to create auto created table in the database.
3. Next, Mark the checkbox of **"email only on error"** to get an email message when error will occur.
4. Enter an email for **"email recipient"** to get the notification when any run command is executed.
5. Click on **save button** to save your advanced settings details.
6. Once the process is completed then click on **save and next button** to proceed further.

My Account ▾

Home

Profile

Salesforce Setup

Database Setup

Advanced Settings

Objects

Export

Schedule Jobs

Logs

DBSync Cloud Replication & CDM

Wiki Log out

Advanced Settings

Notifications

Enable Database Logging

☐

SFLOG\_\_C table will be auto created in the database

Email Only on Error

☐

An email message will be sent only if an error occurs

Email Recipients

Advanced

Process only non-replicable objects

☐

These are Salesforce.com objects that cannot have bi-directional sync and require complete data replication instead of incremental replication.

Cancel

Save

Next

## Source application objects tab

Start with Source Application Objects tab, to get synced all the objects when user will get connected to different source applications like Salesforce and Microsoft CRM.

Follow these steps to synced all objects for source application like Salesforce and Microsoft CRM.

1. Click to **"objects"** tab on the left hand corner in the Profiles section of DBSync replication portal.
2. Once, user has connected to source applications like Salesforce and Microsoft CRM then objects will get synced and it will show on the objects tab.
3. Select any **"source apps objects"** you want to sync into database from the left objects section as shown below.

AVSFQB\_Invoices\_Chang

AVSFQB\_Invoices\_c

AcceptedEventRelation

☒ Account

AccountChangeEvent

AccountCleanInfo

AccountContactRole

AccountFeed

AccountHistory

AccountPartner

AccountShare

ActionLinkGroupTemplate

ActionLinkTemplate

ActivityHistory

AdditionalNumber

AggregateResult

Announcement

ApexClass

ApexComponent

ApexEmailNotification

Available Fields

Count 90

AccountNumber - < VARCHAR >

AccountSource - < VARCHAR >

Active\_c - < VARCHAR >

AnnualRevenue - < DECIMAL >

AVSFQB\_Billing\_Address\_c - < CLOB >

AVSFQB\_Billing\_City\_c - < VARCHAR >

AVSFQB\_Billing\_Country\_c - < VARCHAR >

AVSFQB\_Billing\_State\_c - < VARCHAR >

AVSFQB\_Billing\_Zip\_c - < VARCHAR >

AVSFQB\_Credit\_Limit\_c - < VARCHAR >

AVSFQB\_Email\_c - < VARCHAR >

AVSFQB\_Fax\_c - < VARCHAR >

AVSFQB\_First\_Name\_c - < VARCHAR >

AVSFQB\_Last\_Name\_c - < VARCHAR >

AVSFQB\_Open\_Balance\_c - < DECIMAL >

AVSFQB\_Phone\_c - < VARCHAR >

Excluded Fields


Count 0

Filter Criteria


Type = ' Customer ' and AccountNumber != ' 4567 '

Preview

4. Select the object fields you want to sync into database from the **"available Fields"** section and use **"exclude fields"** section to filter out fields you don't want to sync into database.



- Once completed, click on the **"run button"** to Run the configuration for the **source apps object**.



- Run menu to select the required commands like **update database schema**, **source apps to database (Clean Copy)**, **source apps to database (Incremental)** to execute.  
As per the above commands here user has to **select the Clean copy and Source to Database command to replicate all the sync objects to their database**.
- Once user has selected and **"Run"** the Command, then it will redirect to user on the **log screen tab** to see the status of command is completed or not.

Below section explains the steps involved in **source apps to database replication**.

Run Process	Actions Performed
<b>Update database schema</b>	Creates source apps schema into database for the selected source apps objects.
<b>Source apps to database (Clean Copy)</b>	Inserts a clean copy of selected source apps object records into respective database tables & columns.
<b>Source apps to database (Incremental)</b>	Performs an incremental sync from source apps to database based on the changes / edits made in source.

**Database to Source apps  
(By Control Flag)**

Identifies changes in the Database and updates source apps records based on the database column **Do\_Sync\_Flag** attributes.  
This process is not compatible when Cassandra DB is used for replication.

## Configure schedule jobs tab

Start with Scheduler Jobs tab, here users can schedule the sync using Scheduler Tab.

Follow these steps to schedule the sync using Scheduler tab with scheduler functionality like run commands options, Date, Month and year format settings and repeat Drop-down menu details to set the desired duration to sync the selected objects.

1. Click to **"scheduler jobs" tab** on the left hand corner in the Profiles section of DBSync replication portal.
2. Once, user has connected to source applications like Salesforce and Microsoft CRM then objects will get synced and user can directly select the required process from the command drop-down and configure the frequency of the sync by selecting a desired duration from the **Repeat drop-down menu**.
3. Next, **"start on"** option to select the **date, month and year** from the **drop-down menu** to get the objects synced for particular Date and Month format.
4. Create a task in the **"task section"** with all the details including **task name, action, command and start, date and time**.
5. Once the process is completed then click on **save button to proceed further**.

My Account ▾

Home

Profile

Salesforce Setup

Database Setup

Advanced Settings

Objects

Export

Schedule Jobs

Logs

DBSync Cloud Replication & CDM

Wiki Log out

Schedule Jobs

Command

Update Schema ▾

Starts On

12/12/2018

05:10

Repeat

No Repeat ▾

Save

Cancel

Tasks

Task Name	Repeat	Start Date Time	Next Fire Date Time	Command	Actions
-----------	--------	-----------------	---------------------	---------	---------